

DIN Corrected Wheel Power vs. RPM

Lagunawithadd, LagnaB4add,

Lagunawithadd: DINPwr- CHp

LagnaB4add: DINPwr- CHp

Lagunawithadd: DINTrq-CIb-ft


LagnaB4add: DINTrq-CIb-ft

Lagunawithadd: LambVt-VoltDC

LagnaB4add: LambVt-VoltDC

Lagunawithadd: Boost - bar

LagnaB4add: Boost - bar



DIN Corrected Wheel Power vs. RPM


LagnaB4add,

LagnaB4add: DINPwr- CHp

LagnaB4add: DINTrq-Clb-ft

LagnaB4add: LambVt-VoltDC

LagnaB4add: Boost - bar





Sumo Power Limited

Harbour Road

Rye

East Sussex, TN31 7TE

+44 1797 222281

"DIN Corrected Wheel Power vs. RPM" from test LagnaB4add.sfd

Test Information:

File name: LagnaB4add.sfd (AWD_AUTO.cfa)
 Data page: DIN Corrected Wheel Power vs. RPM - 232 lines total
 Tested on: Oct 14, 2010

EngSpd RPM	DINPwr CHp	DINTrq Clb-ft	LambVt VoltDC	Boost bar	DINCor Factor	ElpsTm Secnds	Speed mph	AirInT degF
1,614	23.3	75.7	0.97	-0.02	1.004	0.1	25.4	60.7
1,627	24.5	79.0	0.97	-0.02	1.004	0.2	25.6	60.7
1,640	25.4	81.5	0.97	-0.02	1.004	0.3	25.8	60.7
1,653	26.4	83.8	0.97	-0.02	1.004	0.4	26.0	60.7
1,667	27.5	86.6	0.97	-0.02	1.004	0.5	26.2	60.7
1,680	28.4	88.7	0.97	-0.02	1.004	0.6	26.4	60.7
1,693	29.1	90.1	0.97	-0.02	1.004	0.7	26.6	60.7
1,707	30.0	92.3	0.97	-0.02	1.004	0.8	26.8	60.7
1,721	31.0	94.5	0.97	-0.02	1.004	0.9	27.0	60.7
1,734	31.6	95.6	0.97	-0.02	1.004	1.0	27.3	60.7
1,747	32.1	96.6	0.97	-0.02	1.004	1.1	27.5	60.7
1,761	32.9	98.0	0.97	-0.02	1.004	1.2	27.7	60.7
1,775	33.5	99.1	0.97	-0.02	1.004	1.3	27.9	60.7
1,787	34.0	99.9	0.97	-0.02	1.004	1.4	28.1	60.7
1,802	34.4	100.2	0.97	-0.02	1.004	1.5	28.3	60.7
1,817	35.0	101.3	0.97	-0.02	1.004	1.6	28.6	60.7
1,831	35.7	102.4	0.97	-0.02	1.004	1.7	28.8	60.7
1,846	36.2	103.0	0.97	-0.02	1.004	1.8	29.0	60.7
1,860	36.7	103.7	0.97	-0.02	1.004	1.9	29.2	60.7
1,875	37.4	104.8	0.97	-0.02	1.004	2.0	29.5	60.7
1,889	38.0	105.5	0.97	-0.01	1.004	2.1	29.7	60.7
1,904	38.4	105.9	0.97	-0.01	1.004	2.2	29.9	60.7
1,919	39.0	106.7	0.97	-0.01	1.004	2.3	30.2	60.7
1,933	39.5	107.4	0.97	-0.01	1.004	2.4	30.4	60.7
1,948	39.9	107.7	0.97	-0.01	1.004	2.5	30.6	60.7
1,963	40.4	108.0	0.97	-0.02	1.004	2.6	30.9	60.7
1,978	40.8	108.5	0.97	-0.02	1.004	2.7	31.1	60.7
1,993	41.3	108.8	0.97	-0.02	1.004	2.8	31.3	60.7
2,008	41.7	109.0	0.97	-0.02	1.004	2.9	31.6	60.7
2,023	42.0	109.1	0.97	-0.02	1.004	3.0	31.8	60.7
2,038	42.4	109.3	0.97	-0.02	1.004	3.1	32.0	60.7
2,053	42.6	109.1	0.97	-0.02	1.004	3.2	32.3	60.7
2,066	42.9	109.0	0.97	-0.02	1.004	3.3	32.5	60.7
2,083	43.2	109.1	0.97	-0.02	1.004	3.4	32.7	60.7
2,097	43.6	109.3	0.97	-0.02	1.004	3.5	33.0	60.7
2,112	43.9	109.3	0.97	-0.02	1.004	3.6	33.2	60.7
2,127	44.2	109.1	0.97	-0.02	1.004	3.7	33.4	60.7
2,142	44.4	109.0	0.97	-0.02	1.004	3.8	33.7	60.7
2,156	44.7	108.9	0.97	-0.02	1.004	3.9	33.9	60.7
2,170	45.0	108.8	0.97	-0.02	1.004	4.0	34.1	60.7
2,185	45.2	108.6	0.97	-0.02	1.004	4.1	34.3	60.7
2,200	45.5	108.6	0.97	-0.02	1.004	4.2	34.6	60.7
2,214	45.8	108.7	0.97	-0.02	1.004	4.3	34.8	60.7
2,228	46.0	108.5	0.97	-0.02	1.004	4.4	35.0	60.7
2,243	46.3	108.4	0.97	-0.02	1.004	4.5	35.3	60.7
2,258	46.7	108.7	0.97	-0.02	1.004	4.6	35.5	60.7
2,272	47.1	108.9	0.97	-0.02	1.004	4.7	35.7	60.7



Sumo Power Limited

Harbour Road

Rye

East Sussex, TN31 7TE

+44 1797 222281

"DIN Corrected Wheel Power vs. RPM" from test LagnaB4add.sfd

EngSpd RPM	DINPwr CHp	DINTRq Clb-ft	LambVt VoltDC	Boost bar	DINCor Factor	ElpsTm Secnds	Speed mph	AirInT degF
2,287	47.5	109.0	0.97	-0.02	1.004	4.8	35.9	60.7
2,301	47.8	109.1	0.97	-0.01	1.004	4.9	36.2	60.7
2,317	48.3	109.6	0.97	-0.01	1.004	5.0	36.4	60.7
2,331	48.7	109.7	0.97	-0.01	1.004	5.1	36.6	60.7
2,346	49.0	109.7	0.97	-0.01	1.004	5.2	36.9	60.7
2,360	49.4	109.8	0.97	-0.01	1.004	5.3	37.1	60.7
2,375	49.8	110.1	0.97	-0.01	1.004	5.4	37.3	60.7
2,390	50.2	110.3	0.97	-0.01	1.004	5.5	37.6	60.7
2,405	50.5	110.3	0.97	-0.01	1.004	5.6	37.8	60.7
2,419	50.9	110.5	0.97	-0.01	1.004	5.7	38.0	60.7
2,434	51.3	110.7	0.97	-0.02	1.004	5.8	38.3	60.7
2,449	51.8	111.1	0.97	-0.02	1.004	5.9	38.5	60.7
2,465	52.4	111.6	0.97	-0.02	1.004	6.0	38.7	60.7
2,480	53.0	112.3	0.97	-0.02	1.004	6.1	39.0	60.7
2,495	53.5	112.6	0.97	-0.02	1.004	6.2	39.2	60.7
2,510	53.9	112.8	0.97	-0.02	1.004	6.3	39.5	60.7
2,525	54.4	113.1	0.96	-0.02	1.004	6.4	39.7	60.7
2,541	54.9	113.4	0.96	-0.02	1.004	6.5	39.9	60.7
2,555	55.2	113.4	0.95	-0.02	1.004	6.6	40.2	60.7
2,571	55.6	113.5	0.95	-0.02	1.004	6.7	40.4	60.7
2,586	56.0	113.7	0.94	-0.02	1.004	6.8	40.6	60.7
2,601	56.3	113.8	0.93	-0.02	1.004	6.9	40.9	60.7
2,616	56.7	113.8	0.93	-0.02	1.004	7.0	41.1	60.7
2,632	57.2	114.1	0.92	-0.02	1.004	7.1	41.4	60.7
2,646	57.6	114.3	0.91	-0.02	1.004	7.2	41.6	60.7
2,662	58.1	114.6	0.91	-0.02	1.004	7.3	41.8	60.7
2,678	58.6	114.9	0.90	-0.02	1.004	7.4	42.1	60.7
2,693	59.2	115.4	0.90	-0.02	1.004	7.5	42.3	60.7
2,709	59.7	115.8	0.89	-0.02	1.004	7.6	42.6	60.7
2,724	60.2	116.1	0.89	-0.02	1.004	7.7	42.8	60.7
2,740	60.9	116.7	0.89	-0.02	1.004	7.8	43.1	60.7
2,756	61.5	117.3	0.88	-0.02	1.004	7.9	43.3	60.7
2,772	62.0	117.5	0.88	-0.02	1.004	8.0	43.6	60.7
2,788	62.6	117.9	0.88	-0.01	1.004	8.1	43.8	60.7
2,803	63.1	118.3	0.88	-0.01	1.004	8.2	44.1	60.7
2,819	63.6	118.6	0.87	-0.01	1.004	8.3	44.3	60.7
2,835	64.1	118.7	0.87	-0.01	1.004	8.4	44.6	60.7
2,851	64.6	119.0	0.87	-0.01	1.004	8.5	44.8	60.7
2,867	65.1	119.3	0.87	-0.02	1.004	8.6	45.1	60.7
2,883	65.6	119.5	0.87	-0.02	1.004	8.7	45.3	60.7
2,899	66.1	119.8	0.87	-0.02	1.004	8.8	45.6	60.7
2,915	66.8	120.3	0.87	-0.02	1.004	8.9	45.8	60.7
2,931	67.4	120.7	0.87	-0.02	1.004	9.0	46.1	60.7
2,948	67.9	121.0	0.87	-0.02	1.004	9.1	46.3	60.7
2,964	68.5	121.3	0.87	-0.02	1.004	9.2	46.6	60.7
2,980	69.0	121.7	0.87	-0.02	1.004	9.3	46.8	60.7
2,996	69.5	121.8	0.87	-0.02	1.004	9.4	47.1	60.7
3,012	70.0	122.0	0.87	-0.02	1.004	9.5	47.3	60.7
3,029	70.5	122.2	0.87	-0.02	1.004	9.6	47.6	60.7
3,045	71.0	122.5	0.87	-0.02	1.004	9.7	47.9	60.7
3,061	71.4	122.4	0.87	-0.02	1.004	9.8	48.1	60.7
3,078	71.7	122.4	0.87	-0.02	1.004	9.9	48.4	60.7
3,094	72.3	122.6	0.87	-0.02	1.004	10.0	48.6	60.7



Sumo Power Limited

Harbour Road
Rye
East Sussex, TN31 7TE
+44 1797 222281

"DIN Corrected Wheel Power vs. RPM" from test LagnaB4add.sfd

EngSpd RPM	DINPwr CHp	DINTRq Clb-ft	LambVt VoltDC	Boost bar	DINCor Factor	ElpsTm Secnds	Speed mph	AirInT degF
3,110	72.7	122.7	0.87	-0.02	1.004	10.1	48.9	60.7
3,127	73.0	122.6	0.87	-0.02	1.004	10.2	49.1	60.7
3,143	73.4	122.6	0.87	-0.02	1.004	10.3	49.4	60.7
3,159	73.9	122.9	0.87	-0.02	1.004	10.4	49.7	60.7
3,175	74.4	123.0	0.87	-0.02	1.004	10.5	49.9	60.7
3,192	74.7	122.9	0.87	-0.02	1.004	10.6	50.2	60.7
3,208	75.2	123.1	0.87	-0.02	1.004	10.7	50.4	60.7
3,225	75.8	123.4	0.87	-0.01	1.004	10.8	50.7	60.7
3,241	76.2	123.5	0.87	-0.01	1.004	10.9	50.9	60.7
3,257	76.7	123.7	0.87	-0.01	1.004	11.0	51.2	60.7
3,274	77.4	124.1	0.87	-0.01	1.004	11.1	51.5	60.7
3,290	78.0	124.4	0.87	-0.01	1.004	11.2	51.7	60.7
3,307	78.4	124.5	0.87	-0.01	1.004	11.3	52.0	60.7
3,323	78.9	124.6	0.87	-0.02	1.004	11.4	52.2	60.7
3,340	79.4	124.9	0.87	-0.02	1.004	11.5	52.5	60.7
3,357	79.9	125.0	0.87	-0.02	1.004	11.6	52.8	60.7
3,373	80.2	124.9	0.87	-0.02	1.004	11.7	53.0	60.7
3,390	80.7	125.1	0.87	-0.02	1.004	11.8	53.3	60.7
3,406	81.2	125.2	0.87	-0.02	1.004	11.9	53.5	60.7
3,423	81.6	125.2	0.87	-0.02	1.004	12.0	53.8	60.7
3,439	82.1	125.4	0.87	-0.02	1.004	12.1	54.1	60.7
3,456	82.7	125.7	0.87	-0.02	1.004	12.2	54.3	60.7
3,472	83.3	125.9	0.88	-0.02	1.004	12.3	54.6	60.7
3,489	83.7	126.0	0.88	-0.02	1.004	12.4	54.8	60.7
3,505	84.2	126.2	0.88	-0.02	1.004	12.5	55.1	60.7
3,522	84.8	126.5	0.88	-0.02	1.004	12.6	55.4	60.7
3,539	85.3	126.6	0.88	-0.02	1.004	12.7	55.6	60.7
3,555	85.7	126.7	0.88	-0.02	1.004	12.8	55.9	60.7
3,572	86.3	127.0	0.88	-0.02	1.004	12.9	56.1	60.7
3,589	86.9	127.1	0.88	-0.02	1.004	13.0	56.4	60.7
3,606	87.2	127.1	0.88	-0.02	1.004	13.1	56.7	60.7
3,622	87.6	127.0	0.88	-0.02	1.004	13.2	56.9	60.7
3,639	88.1	127.2	0.88	-0.02	1.004	13.3	57.2	60.7
3,655	88.5	127.2	0.88	-0.01	1.004	13.4	57.5	60.7
3,672	88.8	127.0	0.88	-0.01	1.004	13.5	57.7	60.7
3,688	89.1	126.9	0.88	-0.01	1.004	13.6	58.0	60.7
3,705	89.4	126.7	0.88	-0.01	1.004	13.7	58.2	60.7
3,721	89.6	126.4	0.88	-0.01	1.004	13.8	58.5	60.7
3,738	89.8	126.2	0.88	-0.01	1.004	13.9	58.7	60.7
3,754	90.0	125.9	0.88	-0.01	1.004	14.0	59.0	60.7
3,770	90.1	125.6	0.88	-0.02	1.004	14.1	59.3	60.7
3,786	90.3	125.2	0.88	-0.02	1.004	14.2	59.5	60.7
3,802	90.5	125.0	0.88	-0.02	1.004	14.3	59.8	60.7
3,818	90.8	124.8	0.88	-0.02	1.004	14.4	60.0	60.7
3,834	91.0	124.6	0.88	-0.02	1.004	14.5	60.3	60.7
3,850	91.3	124.5	0.87	-0.02	1.004	14.6	60.5	60.7
3,866	91.6	124.4	0.87	-0.02	1.004	14.7	60.8	60.7
3,882	91.9	124.4	0.87	-0.02	1.004	14.8	61.0	60.7
3,898	92.2	124.2	0.87	-0.02	1.004	14.9	61.3	60.7
3,914	92.5	124.2	0.87	-0.02	1.004	15.0	61.5	60.7
3,930	92.9	124.2	0.87	-0.02	1.004	15.1	61.8	60.7
3,946	93.3	124.1	0.87	-0.02	1.004	15.2	62.0	60.7
3,962	93.6	124.0	0.87	-0.02	1.004	15.3	62.3	60.7



Sumo Power Limited

Harbour Road
Rye
East Sussex, TN31 7TE
+44 1797 222281

"DIN Corrected Wheel Power vs. RPM" from test LagnaB4add.sfd

EngSpd RPM	DINPwr CHp	DINTRq Clb-ft	LambVt VoltDC	Boost bar	DINCor Factor	ElpsTm Secnds	Speed mph	AirInT degF
3,978	93.9	124.0	0.87	-0.02	1.004	15.4	62.5	60.7
3,993	94.2	123.9	0.87	-0.02	1.004	15.5	62.8	60.7
4,009	94.5	123.8	0.87	-0.02	1.004	15.6	63.0	60.7
4,025	94.8	123.7	0.87	-0.02	1.004	15.7	63.3	60.7
4,041	95.1	123.6	0.87	-0.02	1.004	15.8	63.5	60.7
4,056	95.3	123.4	0.87	-0.01	1.004	15.9	63.8	60.7
4,072	95.5	123.1	0.87	-0.01	1.004	16.0	64.0	60.7
4,087	95.7	123.0	0.87	-0.01	1.004	16.1	64.2	60.7
4,103	95.9	122.8	0.87	-0.01	1.004	16.2	64.5	60.7
4,118	96.1	122.6	0.87	-0.01	1.004	16.3	64.7	60.7
4,134	96.3	122.4	0.87	-0.02	1.004	16.4	65.0	60.7
4,149	96.6	122.2	0.87	-0.02	1.004	16.5	65.2	60.7
4,164	96.7	121.9	0.87	-0.02	1.004	16.6	65.4	60.7
4,179	96.8	121.6	0.87	-0.02	1.004	16.7	65.7	60.7
4,193	96.9	121.3	0.87	-0.02	1.004	16.8	65.9	60.7
4,210	97.1	121.2	0.87	-0.02	1.004	16.9	66.2	60.7
4,223	97.2	120.9	0.87	-0.02	1.004	17.0	66.4	60.7
4,240	97.4	120.6	0.87	-0.02	1.004	17.1	66.6	60.7
4,254	97.6	120.5	0.87	-0.02	1.004	17.2	66.9	60.7
4,270	97.8	120.3	0.87	-0.02	1.004	17.3	67.1	60.8
4,285	98.0	120.1	0.87	-0.02	1.004	17.4	67.3	60.8
4,300	98.2	120.0	0.87	-0.02	1.004	17.5	67.6	60.8
4,314	98.5	119.9	0.87	-0.02	1.004	17.6	67.8	60.8
4,329	98.7	119.7	0.87	-0.02	1.004	17.7	68.0	60.8
4,344	98.8	119.4	0.87	-0.02	1.004	17.8	68.3	60.8
4,358	99.0	119.4	0.87	-0.02	1.004	17.9	68.5	60.8
4,372	99.2	119.2	0.87	-0.02	1.004	18.0	68.7	60.8
4,386	99.3	119.0	0.87	-0.01	1.004	18.1	68.9	60.8
4,402	99.6	118.8	0.86	-0.01	1.004	18.2	69.2	60.8
4,415	99.8	118.7	0.86	-0.01	1.004	18.3	69.4	60.8
4,431	100.0	118.5	0.86	-0.01	1.004	18.4	69.6	60.8
4,444	100.2	118.4	0.86	-0.01	1.004	18.5	69.9	60.8
4,461	100.7	118.5	0.86	-0.02	1.004	18.6	70.1	60.8
4,474	101.0	118.6	0.86	-0.02	1.004	18.7	70.3	60.8
4,488	101.4	118.6	0.86	-0.02	1.004	18.8	70.5	60.8
4,502	101.7	118.6	0.86	-0.02	1.004	18.9	70.8	60.8
4,517	102.1	118.7	0.86	-0.02	1.004	19.0	71.0	60.8
4,533	102.5	118.8	0.86	-0.02	1.004	19.1	71.2	60.8
4,546	102.8	118.8	0.86	-0.02	1.004	19.2	71.4	60.8
4,560	103.2	118.8	0.86	-0.02	1.004	19.3	71.7	60.8
4,576	103.6	118.9	0.86	-0.02	1.004	19.4	71.9	60.8
4,589	103.9	118.9	0.86	-0.02	1.004	19.5	72.1	60.8
4,605	104.3	118.9	0.86	-0.02	1.004	19.6	72.4	60.8
4,618	104.5	118.9	0.86	-0.02	1.004	19.7	72.6	60.8
4,632	104.8	118.8	0.85	-0.02	1.004	19.8	72.8	60.8
4,648	105.0	118.6	0.85	-0.02	1.004	19.9	73.1	60.8
4,661	105.2	118.6	0.85	-0.02	1.004	20.0	73.3	60.8
4,677	105.7	118.6	0.85	-0.02	1.004	20.1	73.5	60.8
4,690	105.9	118.6	0.85	-0.02	1.004	20.2	73.7	60.8
4,704	106.1	118.4	0.85	-0.01	1.004	20.3	73.9	60.8
4,720	106.3	118.3	0.85	-0.01	1.004	20.4	74.2	60.8
4,732	106.4	118.1	0.85	-0.01	1.004	20.5	74.4	60.8
4,748	106.2	117.4	0.85	-0.01	1.004	20.6	74.6	60.8



Sumo Power Limited

Harbour Road
Rye
East Sussex, TN31 7TE
+44 1797 222281

"DIN Corrected Wheel Power vs. RPM" from test LagnaB4add.sfd

EngSpd RPM	DINPwr CHp	DINTrq Clb-ft	LambVt VoltDC	Boost bar	DINCor Factor	ElpsTm Secnds	Speed mph	AirInT degF
4,760	105.7	116.7	0.84	-0.01	1.004	20.7	74.8	60.8
4,774	105.6	116.2	0.84	-0.02	1.004	20.8	75.0	60.8
4,789	105.7	116.0	0.84	-0.02	1.004	20.9	75.3	60.8
4,801	105.7	115.6	0.84	-0.02	1.004	21.0	75.5	60.8
4,817	105.8	115.3	0.84	-0.02	1.004	21.1	75.7	60.8
4,829	106.0	115.3	0.84	-0.02	1.004	21.2	75.9	60.8
4,842	106.1	115.1	0.84	-0.02	1.004	21.3	76.1	60.8
4,856	106.1	114.7	0.83	-0.02	1.004	21.4	76.3	60.8
4,869	106.3	114.6	0.83	-0.02	1.004	21.5	76.5	60.8
4,885	106.6	114.6	0.83	-0.02	1.004	21.6	76.8	60.8
4,896	106.7	114.5	0.83	-0.02	1.004	21.7	77.0	60.8
4,911	106.8	114.2	0.83	-0.02	1.004	21.8	77.2	60.8
4,923	107.0	114.2	0.83	-0.02	1.004	21.9	77.4	60.8
4,937	107.2	114.1	0.83	-0.02	1.004	22.0	77.6	60.8
4,951	107.3	113.8	0.82	-0.02	1.004	22.1	77.8	60.8
4,963	107.2	113.5	0.82	-0.02	1.004	22.2	78.0	60.8
4,977	107.4	113.4	0.82	-0.02	1.004	22.3	78.2	60.8
4,989	107.5	113.2	0.82	-0.01	1.004	22.4	78.4	60.8
5,003	107.5	112.8	0.82	-0.01	1.004	22.5	78.6	60.8
5,015	107.5	112.6	0.81	-0.01	1.004	22.6	78.8	60.8
5,028	107.8	112.6	0.81	-0.01	1.004	22.7	79.0	60.8
5,040	107.9	112.5	0.81	-0.01	1.004	22.8	79.2	60.8
5,053	108.0	112.3	0.81	-0.01	1.004	22.9	79.4	60.8
5,067	108.2	112.1	0.81	-0.01	1.004	23.0	79.6	60.8
5,079	108.4	112.1	0.81	-0.02	1.004	23.1	79.8	60.8
5,092	108.4	111.8	0.81	-0.02	1.004	23.2	80.0	60.8

DIN Corrected Wheel Power vs. RPM


Lagunawithadd,

Lagunawithadd: DINPwr- CHp

Lagunawithadd: DINTrq-Clb-ft

Lagunawithadd: LambVt-VoltDC

Lagunawithadd: Boost - bar





Sumo Power Limited

Harbour Road
Rye
East Sussex, TN31 7TE
+44 1797 222281

"DIN Corrected Wheel Power vs. RPM" from test Lagunawithadd.sfd

Test Information:

File name: Lagunawithadd.sfd (AWD_AUTO.cfa)
Data page: DIN Corrected Wheel Power vs. RPM - 221 lines total
Tested on: Oct 14, 2010

EngSpd RPM	DINPwr CHp	DINTrq Clb-ft	LambVt VoltDC	Boost bar	DINCor Factor	ElpsTm Secnds	Speed mph	AirInT degF
1,603	31.1	101.9	0.97	-0.02	1.006	0.1	25.3	62.3
1,617	31.7	102.8	0.97	-0.02	1.006	0.2	25.6	62.3
1,632	31.9	102.6	0.97	-0.02	1.006	0.3	25.8	62.3
1,646	32.2	102.7	0.97	-0.02	1.006	0.4	26.0	62.3
1,661	32.7	103.6	0.97	-0.02	1.006	0.5	26.3	62.3
1,675	33.1	103.7	0.97	-0.02	1.006	0.6	26.5	62.3
1,690	33.2	103.2	0.97	-0.02	1.006	0.7	26.7	62.3
1,704	33.6	103.6	0.97	-0.02	1.006	0.8	26.9	62.3
1,719	34.1	104.3	0.97	-0.02	1.006	0.9	27.2	62.3
1,733	34.4	104.1	0.97	-0.02	1.006	1.0	27.4	62.3
1,748	34.7	104.2	0.97	-0.02	1.006	1.1	27.6	62.3
1,762	35.2	104.9	0.97	-0.02	1.006	1.2	27.9	62.3
1,777	35.6	105.3	0.97	-0.02	1.006	1.3	28.1	62.3
1,792	35.9	105.3	0.97	-0.02	1.006	1.4	28.3	62.3
1,806	36.3	105.4	0.97	-0.02	1.006	1.5	28.6	62.3
1,821	36.7	105.8	0.97	-0.02	1.006	1.6	28.8	62.3
1,836	37.0	105.8	0.97	-0.02	1.006	1.7	29.0	62.3
1,850	37.3	105.8	0.97	-0.02	1.006	1.8	29.3	62.3
1,866	37.8	106.3	0.97	-0.02	1.006	1.9	29.5	62.3
1,880	38.2	106.7	0.97	-0.02	1.006	2.0	29.7	62.3
1,895	38.5	106.8	0.97	-0.02	1.006	2.1	30.0	62.3
1,910	38.9	107.1	0.97	-0.02	1.006	2.2	30.2	62.3
1,925	39.5	107.7	0.97	-0.02	1.006	2.3	30.4	62.3
1,941	40.1	108.5	0.97	-0.02	1.006	2.4	30.7	62.3
1,956	40.6	109.0	0.97	-0.02	1.006	2.5	30.9	62.3
1,972	41.2	109.6	0.97	-0.02	1.006	2.6	31.2	62.3
1,987	41.7	110.2	0.97	-0.02	1.006	2.7	31.4	62.3
2,003	42.2	110.7	0.97	-0.02	1.006	2.8	31.7	62.3
2,018	42.8	111.3	0.96	-0.02	1.006	2.9	31.9	62.3
2,034	43.3	111.7	0.96	-0.02	1.006	3.0	32.2	62.3
2,050	43.7	111.9	0.96	-0.02	1.006	3.1	32.4	62.3
2,065	44.0	111.8	0.96	-0.02	1.006	3.2	32.7	62.3
2,081	44.4	112.1	0.96	-0.02	1.006	3.3	32.9	62.3
2,097	44.8	112.3	0.96	-0.02	1.006	3.4	33.2	62.3
2,112	45.2	112.4	0.95	-0.02	1.006	3.5	33.4	62.3
2,127	45.4	112.2	0.95	-0.02	1.006	3.6	33.6	62.3
2,143	45.8	112.4	0.95	-0.02	1.006	3.7	33.9	62.3
2,159	46.2	112.5	0.94	-0.02	1.006	3.8	34.1	62.3
2,174	46.5	112.4	0.94	-0.02	1.006	3.9	34.4	62.3
2,189	46.8	112.3	0.94	-0.02	1.006	4.0	34.6	62.3
2,205	47.2	112.4	0.93	-0.02	1.006	4.1	34.9	62.3
2,220	47.6	112.5	0.93	-0.02	1.006	4.2	35.1	62.3
2,236	47.9	112.5	0.93	-0.02	1.006	4.3	35.4	62.3
2,252	48.3	112.6	0.92	-0.02	1.006	4.4	35.6	62.3
2,267	48.7	112.9	0.92	-0.02	1.006	4.5	35.8	62.3
2,282	49.1	113.0	0.91	-0.02	1.006	4.6	36.1	62.3
2,298	49.5	113.1	0.91	-0.02	1.006	4.7	36.3	62.3



Sumo Power Limited

Harbour Road
Rye
East Sussex, TN31 7TE
+44 1797 222281

"DIN Corrected Wheel Power vs. RPM" from test Lagunawithadd.sfd

EngSpd RPM	DINPwr CHp	DINTrq Clb-ft	LambVt VoltDC	Boost bar	DINCor Factor	ElpsTm Secnds	Speed mph	AirInT degF
2,313	49.9	113.3	0.91	-0.02	1.006	4.8	36.6	62.3
2,329	50.3	113.4	0.90	-0.02	1.006	4.9	36.8	62.3
2,345	50.6	113.4	0.90	-0.02	1.006	5.0	37.1	62.3
2,360	51.0	113.6	0.90	-0.02	1.006	5.1	37.3	62.3
2,376	51.5	113.9	0.90	-0.02	1.006	5.2	37.6	62.3
2,392	52.0	114.1	0.90	-0.02	1.006	5.3	37.8	62.3
2,408	52.4	114.2	0.89	-0.02	1.006	5.4	38.1	62.3
2,423	52.8	114.5	0.89	-0.02	1.006	5.5	38.3	62.3
2,439	53.3	114.8	0.89	-0.02	1.006	5.6	38.6	62.3
2,455	53.8	115.0	0.89	-0.02	1.006	5.7	38.8	62.3
2,471	54.2	115.2	0.89	-0.02	1.006	5.8	39.1	62.3
2,486	54.7	115.6	0.89	-0.02	1.006	5.9	39.3	62.3
2,502	55.2	115.9	0.89	-0.02	1.006	6.0	39.6	62.3
2,518	55.6	115.9	0.89	-0.02	1.006	6.1	39.8	62.3
2,534	56.0	116.0	0.89	-0.02	1.006	6.2	40.1	62.3
2,549	56.3	116.0	0.89	-0.02	1.006	6.3	40.3	62.3
2,565	56.7	116.0	0.89	-0.02	1.006	6.4	40.6	62.3
2,581	56.9	115.8	0.89	-0.02	1.006	6.5	40.8	62.3
2,597	57.3	115.8	0.89	-0.02	1.006	6.6	41.1	62.3
2,612	57.6	115.9	0.89	-0.02	1.006	6.7	41.3	62.3
2,628	58.0	115.9	0.88	-0.02	1.006	6.8	41.6	62.3
2,644	58.4	115.9	0.88	-0.02	1.006	6.9	41.8	62.3
2,660	58.8	116.2	0.88	-0.02	1.006	7.0	42.1	62.3
2,676	59.3	116.4	0.88	-0.02	1.006	7.1	42.3	62.3
2,691	59.8	116.6	0.88	-0.02	1.006	7.2	42.6	62.3
2,708	60.2	116.8	0.88	-0.02	1.006	7.3	42.8	62.3
2,723	60.9	117.3	0.88	-0.02	1.006	7.4	43.1	62.3
2,739	61.4	117.8	0.87	-0.02	1.006	7.5	43.3	62.3
2,756	62.0	118.1	0.87	-0.02	1.006	7.6	43.6	62.3
2,772	62.6	118.7	0.87	-0.02	1.006	7.7	43.8	62.3
2,788	63.2	119.1	0.87	-0.02	1.006	7.8	44.1	62.3
2,805	63.8	119.5	0.87	-0.02	1.006	7.9	44.3	62.3
2,821	64.5	120.1	0.88	-0.02	1.006	8.0	44.6	62.3
2,837	65.2	120.6	0.88	-0.02	1.006	8.1	44.9	62.3
2,854	65.8	121.0	0.88	-0.02	1.006	8.2	45.1	62.3
2,871	66.3	121.3	0.88	-0.02	1.006	8.3	45.4	62.3
2,887	66.9	121.7	0.88	-0.02	1.006	8.4	45.7	62.3
2,904	67.4	122.0	0.88	-0.02	1.006	8.5	45.9	62.3
2,920	67.9	122.2	0.88	-0.02	1.006	8.6	46.2	62.3
2,937	68.5	122.5	0.88	-0.02	1.006	8.7	46.4	62.3
2,954	69.1	122.9	0.88	-0.02	1.006	8.8	46.7	62.3
2,971	69.7	123.3	0.88	-0.02	1.006	8.9	47.0	62.3
2,988	70.3	123.6	0.88	-0.02	1.006	9.0	47.2	62.3
3,005	70.9	124.0	0.88	-0.02	1.006	9.1	47.5	62.3
3,021	71.5	124.3	0.88	-0.02	1.006	9.2	47.8	62.3
3,038	72.0	124.5	0.88	-0.02	1.006	9.3	48.0	62.3
3,055	72.5	124.6	0.88	-0.02	1.006	9.4	48.3	62.3
3,072	73.0	124.8	0.88	-0.02	1.006	9.5	48.6	62.3
3,089	73.4	124.9	0.88	-0.02	1.006	9.6	48.8	62.3
3,106	73.8	124.8	0.88	-0.02	1.006	9.7	49.1	62.3
3,123	74.2	124.8	0.88	-0.02	1.006	9.8	49.4	62.3
3,140	74.6	124.9	0.88	-0.02	1.006	9.9	49.6	62.3
3,156	75.0	124.8	0.88	-0.02	1.006	10.0	49.9	62.3



Sumo Power Limited

Harbour Road
Rye
East Sussex, TN31 7TE
+44 1797 222281

"DIN Corrected Wheel Power vs. RPM" from test Lagunawithadd.sfd

EngSpd RPM	DINPwr CHp	DINTrq Clb-ft	LambVt VoltDC	Boost bar	DINCor Factor	ElpsTm Secnds	Speed mph	AirInT degF
3,173	75.4	124.8	0.88	-0.02	1.006	10.1	50.2	62.3
3,190	75.8	124.9	0.88	-0.02	1.006	10.2	50.4	62.3
3,207	76.3	125.0	0.88	-0.02	1.006	10.3	50.7	62.3
3,224	76.8	125.1	0.88	-0.02	1.006	10.4	51.0	62.3
3,241	77.3	125.3	0.88	-0.02	1.006	10.5	51.2	62.3
3,258	77.8	125.5	0.88	-0.02	1.006	10.6	51.5	62.3
3,275	78.3	125.6	0.88	-0.02	1.006	10.7	51.8	62.3
3,292	78.8	125.8	0.88	-0.02	1.006	10.8	52.0	62.3
3,309	79.4	126.1	0.88	-0.02	1.006	10.9	52.3	62.3
3,325	79.9	126.2	0.88	-0.02	1.006	11.0	52.6	62.3
3,342	80.3	126.2	0.88	-0.02	1.006	11.1	52.9	62.3
3,359	80.8	126.3	0.88	-0.02	1.006	11.2	53.1	62.3
3,376	81.2	126.4	0.88	-0.02	1.006	11.3	53.4	62.3
3,393	81.7	126.4	0.88	-0.02	1.006	11.4	53.7	62.3
3,410	82.1	126.5	0.88	-0.02	1.006	11.5	53.9	62.3
3,427	82.7	126.7	0.88	-0.02	1.006	11.6	54.2	62.3
3,444	83.2	126.8	0.88	-0.02	1.006	11.7	54.5	62.3
3,461	83.5	126.8	0.88	-0.02	1.006	11.8	54.7	62.3
3,478	84.0	126.9	0.88	-0.02	1.006	11.9	55.0	62.3
3,495	84.5	127.0	0.88	-0.02	1.006	12.0	55.3	62.3
3,512	84.9	127.0	0.88	-0.02	1.006	12.1	55.5	62.3
3,529	85.4	127.0	0.88	-0.02	1.006	12.2	55.8	62.3
3,546	86.0	127.3	0.89	-0.02	1.006	12.3	56.1	62.3
3,564	86.5	127.5	0.89	-0.02	1.006	12.4	56.4	62.3
3,581	86.9	127.5	0.89	-0.02	1.006	12.5	56.6	62.3
3,598	87.4	127.6	0.89	-0.02	1.006	12.6	56.9	62.3
3,615	87.9	127.7	0.89	-0.02	1.006	12.7	57.2	62.3
3,631	88.1	127.4	0.89	-0.02	1.006	12.8	57.4	62.3
3,649	88.3	127.2	0.89	-0.02	1.006	12.9	57.7	62.3
3,666	88.9	127.3	0.89	-0.02	1.006	13.0	58.0	62.3
3,683	89.4	127.4	0.89	-0.02	1.006	13.1	58.2	62.3
3,699	89.6	127.3	0.89	-0.02	1.006	13.2	58.5	62.3
3,716	90.1	127.3	0.89	-0.02	1.006	13.3	58.8	62.3
3,734	90.7	127.6	0.89	-0.02	1.006	13.4	59.0	62.3
3,750	91.0	127.4	0.89	-0.02	1.006	13.5	59.3	62.3
3,767	91.1	127.1	0.89	-0.02	1.006	13.6	59.6	62.3
3,784	91.6	127.1	0.89	-0.02	1.006	13.7	59.8	62.3
3,801	92.0	127.1	0.89	-0.02	1.006	13.8	60.1	62.3
3,817	92.2	126.8	0.89	-0.02	1.006	13.9	60.4	62.3
3,834	92.5	126.7	0.89	-0.02	1.006	14.0	60.6	62.3
3,850	93.0	126.9	0.89	-0.02	1.006	14.1	60.9	62.3
3,867	93.4	126.9	0.89	-0.02	1.006	14.2	61.2	62.3
3,884	93.6	126.5	0.89	-0.02	1.006	14.3	61.4	62.3
3,901	94.0	126.5	0.89	-0.02	1.006	14.4	61.7	62.3
3,917	94.6	126.8	0.89	-0.02	1.006	14.5	61.9	62.3
3,934	94.9	126.8	0.89	-0.02	1.006	14.6	62.2	62.3
3,950	95.1	126.4	0.89	-0.02	1.006	14.7	62.5	62.3
3,967	95.5	126.4	0.89	-0.02	1.006	14.8	62.7	62.3
3,983	95.8	126.4	0.88	-0.02	1.006	14.9	63.0	62.3
4,000	95.9	126.0	0.88	-0.02	1.006	15.0	63.2	62.3
4,016	96.2	125.7	0.88	-0.02	1.006	15.1	63.5	62.3
4,033	96.6	125.8	0.88	-0.02	1.006	15.2	63.8	62.3
4,049	96.8	125.6	0.88	-0.02	1.006	15.3	64.0	62.3



Sumo Power Limited

Harbour Road
Rye
East Sussex, TN31 7TE
+44 1797 222281

"DIN Corrected Wheel Power vs. RPM" from test Lagunawithadd.sfd

EngSpd RPM	DINPwr CHp	DINTrq Clb-ft	LambVt VoltDC	Boost bar	DINCor Factor	ElpsTm Secnds	Speed mph	AirInT degF
4,065	97.0	125.3	0.88	-0.02	1.006	15.4	64.3	62.3
4,082	97.3	125.2	0.88	-0.02	1.006	15.5	64.5	62.3
4,098	97.7	125.3	0.88	-0.02	1.006	15.6	64.8	62.3
4,114	97.9	125.0	0.88	-0.02	1.006	15.7	65.0	62.3
4,130	98.0	124.6	0.88	-0.02	1.006	15.8	65.3	62.3
4,146	98.2	124.4	0.88	-0.02	1.006	15.9	65.6	62.3
4,162	98.3	124.0	0.88	-0.02	1.006	16.0	65.8	62.3
4,178	98.4	123.7	0.88	-0.02	1.006	16.1	66.1	62.3
4,194	98.7	123.5	0.88	-0.02	1.006	16.2	66.3	62.3
4,209	99.0	123.5	0.88	-0.02	1.006	16.3	66.6	62.3
4,225	99.2	123.3	0.88	-0.02	1.006	16.4	66.8	62.3
4,241	99.3	122.9	0.88	-0.02	1.006	16.5	67.1	62.3
4,257	99.5	122.8	0.88	-0.02	1.006	16.6	67.3	62.3
4,272	99.8	122.6	0.88	-0.02	1.006	16.7	67.6	62.3
4,288	99.8	122.2	0.88	-0.02	1.006	16.8	67.8	62.3
4,303	99.9	121.9	0.88	-0.02	1.006	16.9	68.0	62.3
4,319	100.2	121.9	0.88	-0.02	1.006	17.0	68.3	62.3
4,334	100.3	121.6	0.88	-0.02	1.006	17.1	68.5	62.3
4,349	100.3	121.1	0.88	-0.02	1.006	17.2	68.8	62.3
4,364	100.4	120.8	0.88	-0.02	1.006	17.3	69.0	62.3
4,379	100.6	120.7	0.88	-0.02	1.006	17.4	69.2	62.3
4,394	100.7	120.4	0.88	-0.02	1.006	17.5	69.5	62.3
4,410	100.8	120.1	0.88	-0.02	1.006	17.6	69.7	62.3
4,425	101.2	120.1	0.88	-0.02	1.006	17.7	70.0	62.3
4,440	101.5	120.1	0.88	-0.02	1.006	17.8	70.2	62.3
4,455	101.8	120.1	0.88	-0.02	1.006	17.9	70.4	62.3
4,470	102.1	120.0	0.88	-0.02	1.006	18.0	70.7	62.3
4,485	102.5	120.1	0.88	-0.02	1.006	18.1	70.9	62.3
4,500	102.9	120.1	0.87	-0.02	1.006	18.2	71.2	62.3
4,515	103.2	120.1	0.87	-0.02	1.006	18.3	71.4	62.3
4,530	103.6	120.1	0.87	-0.02	1.006	18.4	71.6	62.3
4,545	104.1	120.3	0.87	-0.02	1.006	18.5	71.9	62.3
4,560	104.5	120.3	0.87	-0.02	1.006	18.6	72.1	62.3
4,575	104.9	120.4	0.87	-0.02	1.006	18.7	72.3	62.3
4,590	105.3	120.4	0.87	-0.02	1.006	18.8	72.6	62.3
4,605	105.7	120.5	0.87	-0.02	1.006	18.9	72.8	62.3
4,620	106.0	120.5	0.87	-0.02	1.006	19.0	73.1	62.3
4,635	106.4	120.6	0.87	-0.02	1.006	19.1	73.3	62.3
4,650	106.8	120.7	0.87	-0.02	1.006	19.2	73.5	62.3
4,665	107.2	120.7	0.86	-0.02	1.006	19.3	73.8	62.3
4,680	107.5	120.6	0.86	-0.02	1.006	19.4	74.0	62.3
4,695	107.7	120.5	0.86	-0.02	1.006	19.5	74.2	62.3
4,710	108.0	120.4	0.86	-0.02	1.006	19.6	74.5	62.3
4,725	108.3	120.4	0.86	-0.02	1.006	19.7	74.7	62.3
4,740	108.5	120.2	0.86	-0.02	1.006	19.8	74.9	62.3
4,754	108.8	120.2	0.86	-0.02	1.006	19.9	75.2	62.3
4,769	109.2	120.2	0.86	-0.02	1.006	20.0	75.4	62.3
4,784	109.4	120.1	0.86	-0.02	1.006	20.1	75.6	62.3
4,799	109.5	119.9	0.85	-0.02	1.006	20.2	75.9	62.3
4,814	109.8	119.8	0.85	-0.02	1.006	20.3	76.1	62.3
4,828	110.1	119.7	0.85	-0.02	1.006	20.4	76.3	62.3
4,843	110.3	119.6	0.85	-0.02	1.006	20.5	76.6	62.3
4,857	110.4	119.4	0.85	-0.02	1.006	20.6	76.8	62.4



Sumo Power Limited

Harbour Road
Rye
East Sussex, TN31 7TE
+44 1797 222281

"DIN Corrected Wheel Power vs. RPM" from test Lagunawithadd.sfd

EngSpd RPM	DINPwr CHp	DINTrq Clb-ft	LambVt VoltDC	Boost bar	DINCor Factor	ElpsTm Secnds	Speed mph	AirInT degF
4,872	110.6	119.2	0.85	-0.02	1.006	20.7	77.0	62.4
4,886	110.8	119.1	0.84	-0.02	1.006	20.8	77.3	62.4
4,901	111.0	119.0	0.84	-0.02	1.006	20.9	77.5	62.4
4,915	111.2	118.8	0.84	-0.02	1.006	21.0	77.7	62.4
4,929	111.4	118.7	0.84	-0.02	1.006	21.1	77.9	62.4
4,943	111.4	118.4	0.84	-0.02	1.006	21.2	78.2	62.4
4,957	111.4	118.0	0.84	-0.02	1.006	21.3	78.4	62.4
4,972	111.6	117.9	0.83	-0.02	1.006	21.4	78.6	62.4
4,986	111.9	117.9	0.83	-0.02	1.006	21.5	78.8	62.4
5,000	111.9	117.5	0.83	-0.02	1.006	21.6	79.1	62.4
5,015	111.5	116.8	0.83	-0.02	1.006	21.7	79.3	62.4
5,029	111.1	116.1	0.83	-0.02	1.006	21.8	79.5	62.4
5,041	110.9	115.6	0.83	-0.02	1.006	21.9	79.7	62.4
5,057	110.8	115.1	0.82	-0.02	1.006	22.0	80.0	62.4
5,069	110.6	114.6	0.82	-0.02	1.006	22.1	80.2	62.4